Volume 142 1984

FEBS

European Journal of Biochemistry

Managing Editors

Giorgio Bernardi (Paris), Lothar Jaenicke (Köln), Pierre Jollès (Paris), Claude Liébecq (Liège), *Chairman,* and Cees Veeger (Wageningen)

Editorial-Advisory Board

B. E. C. Banks (London)
L. D. Bergelson (Moskva)
A. Bernardi (Gif-sur-Yvette)
H. Bloemendal (Nijmegen)
E. M. Bradbury (Davis)
M. E. Buckingham (Paris)
E. Carafoli (Zürich)
A. Cornish-Bowden (Birmingham)
C. Crane-Robinson (Portsmouth)
K. Decker (Freiburg i. Br.)
J. Demaille (Montpellier)
H. Eisenberg (Rehovot)
F. Franěk (Praha)
G. Gerisch (Martinsried)
G. Gottschalk (Göttingen)
L. Heilmeyer (Bochum)
F. W. Hemming (Nottingham)
A. Henschen-Edman (Martinsried)
H. Hilz (Hamburg)
E. Hofmann (Leipzig)
F. Hofmann (Heidelberg)
F. Hucho (Berlin)
H. Jörnvall (Stockholm)
M. Ya. Karpeisky (Moskva)
M. Klingenberg (München)
C. G. Kurland (Uppsala)
J.-M. Lhoste (Orsay)
E. Lisowska (Wrocław)
M.-H. Loucheux-Lefebvre (Lille)
O. Lüderitz (Freiburg i. Br.)
M. Monsigny (Orléans)
K. Nierhaus (Berlin)
A. Paraf (Thiverval-Grignon)
B. Parthier (Halle)
I. Pecht (Rehovot)
G. Pettersson (Lund)
R. J. Planta (Amsterdam)
A. Prunell (Paris)
J. Rétey (Karlsruhe)
J. Ricard (Marseille)
E. Rickli (Bern)
M. C. Scrutton (London)
A. Sentenac (Saclay)
N. Sharon (Rehovot)
H. Sies (Düsseldorf)
H. D. Söling (Göttingen)
A. S. Spirin (Pushchino)
J. Stenflo (Malmö)
J. M. Tager (Amsterdam)
W. Tanner (Regensburg)
J. O. Thomas (Cambridge)
K. F. Tipton (Dublin)
D. R. Trentham (Philadelphia)
V. Ullrich (Konstanz)
K. van Dam (Amsterdam)
D. Vázquez (Madrid)
P. V. Vignais (Grenoble)
J. F. G. Vliegenthart (Utrecht)
K. von Figura (Münster)
M. Wikström (Helsinki)
M. Wilchek (Rehovot)
R. J. P. Williams (Oxford)
K. W. A. Wirtz (Utrecht)
A. V. Xavier (Lisboa)
W. Zillig (Martinsried)
H. Zuber (Zürich)

Published by Springer International

on behalf of the Federation of European Biochemical Societies

The exclusive copyright for all languages and countries, including the rights for photographic reproduction, electronic data base, video disks, or any other reproduction of text, figures, or tables from this journal, also in microform, is vested in the Federation of European Biochemical Societies.
The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted that such names are exempt from the relevant protective laws and regulations and may accordingly be used freely by anyone.

Springer Verlag · Berlin · Heidelberg · New York

Printers: Wiesbadener Graphische Betriebe GmbH, Wiesbaden

Printed in Germany
Copyright © by the Federation of European Biochemical Societies 1984

Volume 142 1984

Table of Contents

No. 1 1–202 issued on July 2, 1984
No. 2 203–430 issued on July 16, 1984
No. 3 431–604 issued on August 1, 1984

Corrections 603

Nucleic acids, protein synthesis, and molecular genetics

Two different aldolase A mRNA species in rat tissues
R. Tsutsumi, K. Tsutsumi, M. Numazaki, and K. Ishikawa 161–164

Expression of aldolase isozyme mRNAs in fetal rat liver
M. Numazaki, K. Tsutsumi, R. Tsutsumi, and K. Ishikawa 165–170

Cross-linked proteins associated with a specific mRNA in the cytoplasm of HeLa cells
S. Ruzdijic, J. Bag, and B. H. Sells 239–245

The distance between S1, S21, and the 3' end of 16S RNA in 30S ribosomal subunits. The effect of poly(uridylic acid) and 50S subunits on these distances
O. W. Odom, E. R. Dabbs, C. Dionne, M. Müller, and B. Hardesty 261–267

A synthetic hapten for induction of thymine-dimer-specific antibodies
H. Klocker, B. Auer, H. J. Burtscher, M. Hirsch-Kauffmann, and M. Schweiger 313–316

Patterns of histone acetylation in *Physarum polycephalum*. H2A and H2B acetylation is functionally distinct from H3 and H4 acetylation
J. H. Waterborg and H. R. Matthews 329–335

Transport of proteins into chloroplasts. Partial purification of a chloroplast protease involved in the processing of imported precursor polypeptides
C. Robinson and R. J. Ellis 337–342

Transport of proteins into chloroplasts. The precursor of small subunit of ribulose bisphosphate carboxylase is processed to the mature size in two steps
C. Robinson and R. J. Ellis 343–346

Tissue distribution of messenger RNAs coding for opioid peptide precursors and related RNA
H. Jingami, S. Nakanishi, H. Imura, and S. Numa 441–447

A new method for detection of small modifications in genomic DNA, applied to the human δ-β globin gene cluster
Y. Cheboune, G. Trabuchet, D. Poncet, M. Cohen-Solal, C. Faure, G. Verdier, and V. M. Nigon 473–480

Purification and properties of three cytosolic ribonucleases of mouse liver
G. J. Mavrothalassitis and J. G. Georgatsos 481–486

Location of the sulfhydryl groups involved in disulfide interaction between the neighboring proteins L6 and L29 in mammalian ribosomes. S-cleavage of the cyanylated proteins in polyacrylamide gels after separation by dodecylsulfate gel electrophoresis
H. Nika and T. Hultin 521–526

Protein chemistry and structure

Purification, characterization and redox properties of hydrogenase from *Methanosarcina barkeri* (DSM 800)
G. Fauque, M. Teixeira, I. Moura, P. A. Lespinat, A. V. Xavier, D. V. Der Vartanian, H. D. Peck Jr., J. Le Gall, and J. G. Moura 21–28

Proteolytic modification of acidic and basic keratins during terminal differentiation of mouse and human epidermis
P. E. Bowden, R. A. Quinlan, D. Breitkreutz, and N. E. Fusenig 29–36

Studies on the transmembrane disposition of the neural cell adhesion molecule N-CAM. A monoclonal antibody recognizing a cytoplasmic domain and evidence for the presence of phosphoserine residues
G. Gennarini, G. Rougon, H. Deagostini-Bazin, M. Hirn, and C. Goridis 57–64

Studies on the transmembrane disposition of the neural cell adhesion molecule N-CAM. The use of liposome-inserted radioiodinated N-CAM to study its transbilayer orientation
G. Gennarini, M. Hirn, H. Deagostini-Bazin, and C. Goridis 65–73

Content and localization of FMN, Fe-S clusters and nickel in the NAD-linked hydrogenase of *Nocardia opaca* 1b
K. Schneider, R. Cammack, and H. G. Schlegel 75–84

Lipoproteins from the blood and egg yolk of the hen. The transfer of very-low-density lipoprotein to egg yolk and possible changes to apoprotein B
R. W. Burley, R. W. Sleigh, and F. S. Shenstone 171–176

Human low-molecular-mass kininogen. Amino-acid sequence of the light chain; homology with other protein sequences
F. Lottspeich, J. Kellermann, A. Henschen, G. Rauth, and W. Müller-Esterl 227–232

Inhibitory action of certain cyclophosphate derivatives of cAMP on cAMP-dependent protein kinases
R. J. W. De Wit, D. Hekstra, B. Jastorff, W. J. Stec, J. Baraniak, R. Van Driel, and P. J. M. Van Haastert 255–260

Oxido-reduction of B800–850 and B880 holochromes isolated from three species of photosynthetic bacteria as studied by electron-paramagnetic resonance and optical spectroscopy
R. Picorel, S. Lefébvre, and G. Gingras 305–311

Conformation of physalaemin
J. L. Bernier, J.-P. Hénichart, and N. Helbecque 371–377

Conformational studies on the pancreatic polypeptide hormone family
J. D. Glover, D. J. Barlow, J. E. Pitts, S. P. Wood, I. J. Tickle, T. L. Blundell, K. Tatemoto, J. R. Kimmel, A. Wollmer, W. Strassburger, and Y.-S. Zhang 379–385

Differences in the binding of sulfate, selenate and thiosulfate ions to bovine liver rhodanese, and a description of a binding site for ammonium and sodium ions. An X-ray diffraction study
L. J. Lijk, C. A. Torfs, K. H. Kalk, M. C. H. De Maeyer, and W. G. J. Hol 399–408

Comparison of *Clostridium botulinum* toxins type D and C_1 in molecular property, antigenicity and binding ability to rat-brain synaptosomes
S. Murayama, B. Syuto, K. Oguma, H. Iida, and S. Kubo 487–492

Immunochemistry, genuine size and tissue localization of collagen VI
H. von der Mark, M. Aumailley, G. Wick, R. Fleischmajer, and R. Timpl 493–502

Purification and characterization of oocyte vitellin from *Perinereis cultrifera* (polychaete annelid)
J.-L. Baert, P. Sautiere, and M. Porchet 527–532

Tyrosine modification of glucose dehydrogenase from *Bacillus megaterium*. Effect of tetranitromethane on the enzyme in the tetrameric and monomeric state
M. Fröschle, W. Ulmer, and K.-D. Jany 533–540

Enzymology

Electron allocation to H^+ and N_2 by nitrogenase in *Rhizobium leguminosarum* bacteroids
H. Haaker and H. Wassink 37–42

Solubilization, purification and kinetic properties of three membrane-bound long-chain acyl-coenzyme-A thioesterases from microsomes of photosynthetic tissue
D. J. Murphy, K. D. Mukherjee, E. Latzko, and I. E. Woodrow 43–48

Characterization of monoclonal antibodies against β-bungarotoxin and their use as structural probes for related phospholipase A_2 enzymes and presynaptic phospholipase neurotoxins
P. N. Strong, J. N. Wood, and J. Ivanyi 145–151

A cold-labile acetyl-coenzyme-A hydrolase from the supernatant fraction of rat liver. Reactivation and reconstitution of the active species from the inactive monomer
F. Isohashi, Y. Nakanishi, T. Matsunaga, and Y. Sakamoto 177–181

Lactoperoxidase, a dithionite ion dismutase
P.-I. Ohlsson 233–238

The use of nucleotide phosphorothioate diastereomers to define the structure of metal-nucleotide bound to GTP-AMP and ATP-AMP phosphotransferases from beef-heart mitochondria
A. G. Tomasselli, R. Marquetant, L. H. Noda, and R. S. Goody 287–289

Histone H1 kinase from mouse plasmacytoma. Further characterization and molecular structure
C. Quirin-Stricker 317–322

Enzymic synthesis of the iron-sulfur cluster of spinach ferredoxin
S. Pagani, F. Bonomi, and P. Cerletti 361–366

Purification and initial characterization of a protein which facilitates assembly of nucleosome-like structure from mammalian cells
Y. Ishimi, J. Hirosumi, W. Sato, K. Sugasawa, S. Yokota, F. Hanaoka, and M. Yamada 431–439

Poly(ADP-ribose) polymerase is a zinc metalloenzyme
P. Zahradka and K. Ebisuzaki 503–509

The composition of the pyruvate dehydrogenase complex from *Azotobacter vinelandii*. Does a unifying model exist for the comp[illegible]es from gram-negative bacteria?
H. J. Bosma, A. De Kok, A. H. Westphal, and C. Veeger 541–549

Isolation and properties of 5-aminolevulinate synthase from the yeast *Saccharomyces cerevisiae*
C. Volland and F. Felix 551–557

Kinetic mechanism of a flavonol-ring-B *O*-glucosyltransferase from *Chrysosplenium americanum*
H. Khouri and R. K. Ibrahim 559–564

Pressure dependence of thermolysin catalysis
M. Fukuda and S. Kunugi 565–570

Carbohydrates, lipids and other natural products

Purification by affinity chromatography of glucosidase I, an endoplasmic reticulum hydrolase involved in the processing of asparagine-linked oligosaccharides
H. Hettkamp, G. Legler, and E. Bause 85–90

Labeling of phospholipids in vesicles and human erythrocytes by photoactivable fatty acid derivatives
T. A. Berkhout, A. van Amerongen, and K. W. A. Wirtz 91–97

Isolement et étude structurale de glucanes de *Phytophthora parasitica*
I. Fabre, M. Bruneteau, P. Ricci, et G. Michel 99–103

Complex structure of human bronchial mucus glycoprotein
H. S. Slayter, G. Lamblin, A. Le Treut, C. Galabert, N. Houdret, P. Degand, and P. Roussel 209–218

Enzymatic isomerization and epimerization of D-erythrose 4-phosphate and its quantitative analysis by gas chromatography/mass spectrometry
K. Ohashi, T. Terada, T. Kohno, S. Hosomi, T. Mizoguchi, and K. Uehara 347–353

Glycosidic linkages of swede cell walls and their residues recovered from the terminal ileum of the pig
P. Millard and A. Chesson 367–369

Physical biochemistry

A solution equivalent of the 2Zn→4Zn transformation of insulin in the crystal
H. Renscheidt, W. Strassburger, U. Glatter, A. Wollmer, G. G. Dodson, and D. A. Mercola 7– 14

A potassium-39 NMR study of potassium binding to double-helical DNA
W. H. Braunlin and L. Nordenskiöld 133–137

Potassium-39 and sodium-23 NMR studies of cation binding to phosvitin
W. H. Braunlin, H. J. Vogel, and S. Forsén 139–144

Binding of adriamycin-Fe^{3+} complex to membrane phospholipids
E. J. F. Demant 571–575

Anion-induced increases in the affinity of colcemid binding to tubulin
K. Ray, B. Bhattacharyya, and B. B. Biswas 577–581

Membranes and bioenergetics

Molecular properties of the apamin-binding component of the Ca^{2+}-dependent K^+ channel. Radiation-inactivation, affinity labelling and solubilization
H. Schmid-Antomarchi, M. Hugues, R. Norman, C. Ellory, M. Borsotto, and M. Lazdunski 1– 6

Corticosteroids as effectors of lipid polymorphism of dielaidoylglycero-phosphoethanolamine. A study using ^{31}P NMR and differential scanning calorimetry
J. Gallay and B. De Kruijff 105–112

A study of the structure and dynamics of complexes between polymyxin B and phosphatidylglycerol in monolayers by fluorescence
A. Theretz, J. Teissie, and J.-F. Tocanne 113–119

Sex and age alter plasma membranes of cultured fibroblasts
F. Schroeder, I. Goetz, and E. Roberts 183–191

Changes in membrane ionic conductance, but not changes in slip, can account for the non-linear dependence of the electrochemical proton gradient upon the electron-transport rate in chromatophores
N. P. J. Cotton, A. J. Clark, and J. B. Jackson 193–198

Spontaneous modification of the oxoglutarate translocator *in vivo*
C. Duyckaerts, C. M. Sluse-Goffart, F. E. Sluse, C. Gosselin-Rey, and C. Liébecq 203–208

Sidedness of native membrane vesicles of *Escherichia coli* and orientation of the reconstituted lactose:H^+ carrier
R. Seckler and J. K. Wright 269–279

Topological aspects of microsomal *N*-acetyltransferase, an enzyme responsible for the acetylation of cysteine *S*-conjugates of xenobiotics
K. Okajima, M. Inoue, Y. Morino, and K. Itoh 281–286

Cytochrome *b* of *cob* revertants in yeast. Bioenergetic characterization of revertants with reduced content and shifted maximum absorption wavelength of cytochrome *b*
G. Burger and E. Hofner 299–304

The nature of the reaction of an essential tyrosine residue of bovine heart mitochondrial ATPase with 4-chloro-7-nitrobenzofurazan and related compounds
R. Sutton and S. J. Ferguson 387–392

Factors determining the relative contribution of the adenine-nucleotide translocator and the ADP-regenerating system to the control of oxidative phosphorylation in isolated rat-liver mitochondria
R. J. A. Wanders, A. K. Groen, C. W. T. Van Roermund, and J. M. Tager 417–424

How do enzyme activities control metabolite concentrations? An additional theorem in the theory of metabolic control
H. V. Westerhoff and Y.-D. Chen 425–430

Solubilization of the nitrendipine receptor from skeletal muscle transverse tubule membranes. Interactions with specific inhibitors of the voltage-dependent Ca^{2+} channel
M. Borsotto, R. I. Norman, M. Fosset, and M. Lazdunski 449–455

Proteinase-treated photoreceptor discs. Photoelectric activity of the partially-digested rhodopsin and membrane orientation
D. I. Bayramashvili, A. L. Drachev, L. A. Drachev, A. D. Kaulen, A. B. Kudelin, V. I. Martynov, and V. P. Skulachev 583–590

Cellular biochemistry and metabolism

On auxotrophy for pyrimidines of respiration-deficient chick embryo cells
M. Grégoire, R. Morais, M. A. Quilliam, and D. Gravel 49– 55

Fatty acid synthesis in mitochondria of *Euglena gracilis*
H. Inui, K. Miyatake, Y. Nakano, and S. Kitaoka 121–126

Induction of phytoalexin synthesis in soybean. Stereospecific 3,9-dihydroxypterocarpan 6a-hydroxylase from elicitor-induced soybean cell cultures
M.-L. Hagmann, W. Heller, and H. Grisebach 127–131

Synthesis of prostanoids and cyclic nucleotides by phagocytosing rat Kupffer cells
M. Birmelin and K. Decker 219–225

Analysis of the control of citrulline synthesis in isolated rat-liver mitochondria
R. J. A. Wanders, C. W. T. Van Roermund, and A. J. Meijer 247–254

Increased stability and antiviral activity of 2′-*O*-phosphoglyceryl derivatives of (2′-5′)oligo(adenylate). Roles of phosphodiesterases and phosphatases in (2′-5′)oligo(adenylate) catabolism
B. Bayard, C. Bisbal, M. Silhol, J. Cnockaert, G. Huez, and B. Lebleu 291–298

Guanine-nucleotide-dependent inhibition of adenylate cyclase of rabbit heart by glucagon
Z. Kiss and V. A. Tkachuk 323–328

Repression by dexamethasone of epinephrine-induced modulation of the fatty acyl-CoA desaturase system in *Tetrahymena* microsomes
S. Umeki and Y. Nozawa 355–359

Calmodulin antagonists inhibit activity of myosin light-chain kinase independent of calmodulin
M. Zimmer and F. Hofmann 393–397

Effects of (2R,5R)-6-heptyne-2,5-diamine, a potent inhibitor of L-ornithine decarboxylase, on rat hepatoma cells cultured *in vitro*
P. S. Mamont, M. Siat, A.-M. Joder-Ohlenbusch, A. Bernhardt, and P. Casara 457–463

Platelet aggregation: its relation with ADP-induced fibrinogen binding to platelets and ADP-related membrane enzyme activities
C. Legrand, V. Dubernard, and J. Caen 465–471

Control of glycogen synthase phosphorylation in isolated rat hepatocytes by epinephrine, vasopressin and glucagon
C. Ciudad, M. Camici, Z. Ahmad, Y. Wang, A. A. DePaoli-Roach, and P. J. Roach 511–520

^{31}P-NMR studies of the freeze-tolerant larvae of the gall fly, *Eurosta solidaginis*
K. B. Storey, M. Miceli, K. W. Butler, I. C. P. Smith, and R. Deslauriers 591–595

Developmental biochemistry and immunology

Phenolic and tyrosyl ring deiodination in thyroxine from rat retina during postnatal development
R. Ientile, S. Macaione, P. Russo, G. Pugliese, and R. M. Di Giorgio 15– 19

A 45-kDa human T-cell membrane glycoprotein functions in the regulation of cell proliferative responses
H. Gmünder and W. Lesslauer 153–160

Developmental regulation of the cyclic-nucleotide-phosphodiesterase mRNA of *Dictyostelium discoideum*. Analysis by cell-free translation and immunoprecipitation
I. A. Mullens, J. Franke, D. J. Kappes, and R. H. Kessin 409–415

Regulation of synthesis of citrate synthase in regreening *Euglena gracilis*
A. C. Cannons and M. J. Merrett 597–602

Correspondence

Comments on: Reaction mechanism of flavin-dependent hydroxylation. Evolution of a non-imitable enzyme
H. I. X. Mager

Reply to the comments
C. M. Visser 199–202

Indexed in Current Contents